

LICENCE

to use the European Mark



Licence Nr. ENEC/001073

Under the conditions given in the following pages of this document, the licence to use the ENEC Mark in conjunction with the suffix 01, as shown above, has been issued to:

NORMAGRUP TECHNOLOGY, S.A.
PQ TECNOLÓGICO ASTURIAS PARCELA 10
33428 LLANERA (Asturias – España / Spain)

For the product(s):

Recessed luminaire

Trade name(s):

NORMALIT

Complying with the following European Standards:

EN IEC 60598-1:2021;
EN IEC 60598-1:2021/A11:2022;
EN 60598-2-2:2012; EN 62262:2002

Date: 2023-07-26

Signature:

A handwritten signature in blue ink, appearing to read 'Rafael García', with a stylized flourish at the end.

Name: Rafael García
Position: Chief Executive Officer

This licence has been issued under the presumption and conditional on the fact that the licensee holds all necessary legal rights with regard to the product presented for testing and certification.

CERTIFICATE OF THE ENEC EUROPEAN MARK

Type of Product	RECESSED LUMINAIRE
r1) Certificate n°	ENEC/001073
r2) Date of the Certificate	2023-07-26
r3) report n°	2023010009B1-B
r4) Name and address of the licensee	NORMAGRUP TECHNOLOGY, S.A. PQ TECNOLÓGICO ASTURIAS PARCELA 10 33428 LLANERA (Asturias - España / Spain)
r5) Address of the factory	PQ TECNOLÓGICO ASTURIAS - PARCELA, 10 33428 LLANERA (Asturias - España / Spain)
r6) European Standard	EN IEC 60598-1:2021; EN IEC 60598-1:2021/A11:2022; EN 60598-2-2:2012; EN 62262:2002
r7) Type reference	See above for details
r8) Trade mark	NORMALIT
r9) Rated voltage and frequency	230 V~ 50/60 Hz
r10) N° of lamps and rated wattage	See above for details
r11) Type of lamps and lampholder	LED COB
r12) Degree of protection (IP)	See above for details
r13) Mains connections	Terminals
r14) Class. respect supporting material	Suitable for normally flammable surfaces
r15) Protection against electric shock (class)	Class II
r16) Limitations	Horizontal fixing
r17) Additional data	See above for details
Date of expiry: 2028-04-18	This certificate supersedes certificate 007/001073, dated 2023-07-19.

CERTIFICATE OF THE ENEC EUROPEAN MARK

Type reference	Nº of lamps and rated wattage	Degree of protection (IP)	Additional data
DQ23M	1 x 11,8 W max	IP 20; IK 07	Series Dorfin Cuadrado. 3000 K
DQ230	1 x 11,8 W max	IP 20; IK 04	Series Dorfin Cuadrado. 3000 K
DQ23S	1 x 11,8 W max	IP 20; IK 07	Series Dorfin Cuadrado. 3000 K
DQ24M	1 x 11,8 W max	IP 20; IK 07	Series Dorfin Cuadrado. 4000 K
DQ240	1 x 11,8 W max	IP 20; IK 04	Series Dorfin Cuadrado. 4000 K
DQ24S	1 x 11,8 W max	IP 20; IK 07	Series Dorfin Cuadrado. 4000 K
DQ33M	1 x 17,4 W max	IP 20; IK 04	Series Dorfin Cuadrado. 3000 K
DQ330	1 x 17,4 W max	IP 20; IK 04	Series Dorfin Cuadrado. 3000 K
DQ33S	1 x 17,4 W max	IP 20; IK 04	Series Dorfin Cuadrado. 3000 K
DQ34M	1 x 17,4 W max	IP 20; IK 07	Series Dorfin Cuadrado. 4000 K
DQ340	1 x 17,4 W max	IP 20; IK 04	Series Dorfin Cuadrado. 4000 K
DQ34S	1 x 17,4 W max	IP 20; IK 07	Series Dorfin Cuadrado. 4000 K
DQ43M	1 x 25,1 W max	IP 20; IK 04	Series Dorfin Cuadrado. 3000 K
DQ430	1 x 25,1 W max	IP 20; IK 04	Series Dorfin Cuadrado. 3000 K
DQ43S	1 x 25,1 W max	IP 20; IK 04	Series Dorfin Cuadrado. 3000 K
DQ44M	1 x 25,1 W max	IP 20; IK 07	Series Dorfin Cuadrado. 4000 K
DQ440	1 x 25,1 W max	IP 20; IK 04	Series Dorfin Cuadrado. 4000 K
DQ44S	1 x 25,1 W max	IP 20; IK 07	Series Dorfin Cuadrado. 4000 K
D23M	1 x 11,8 W max	IP 20; IK 07	Series Dorfin Redondo. 3000 K

CERTIFICATE OF THE ENEC EUROPEAN MARK

Type reference	Nº of lamps and rated wattage	Degree of protection (IP)	Additional data
D230	1 x 11,8 W max	IP 20; IK 04	Series Dorfin Redondo. 3000 K
D235	1 x 11,8 W max	IP 20; IK 07	Series Dorfin Redondo. 3000 K
D24M	1 x 11,8 W max	IP 20; IK 07	Series Dorfin Redondo. 4000 K
D240	1 x 11,8 W max	IP 20; IK 04	Series Dorfin Redondo. 4000 K
D245	1 x 11,8 W max	IP 20; IK 07	Series Dorfin Redondo. 4000 K
D33M	1 x 17,4 W max	IP 20; IK 04	Series Dorfin Redondo. 3000 K
D330	1 x 17,4 W max	IP 20; IK 04	Series Dorfin Redondo. 3000 K
D335	1 x 17,4 W max	IP 20; IK 04	Series Dorfin Redondo. 3000 K
D34M	1 x 17,4 W max	IP 20; IK 07	Series Dorfin Redondo. 4000 K
D340	1 x 17,4 W max	IP 20; IK 04	Series Dorfin Redondo. 4000 K
D345	1 x 17,4 W max	IP 20; IK 07	Series Dorfin Redondo. 4000 K
D43M	1 x 25,1 W max	IP 20; IK 04	Series Dorfin Redondo. 3000 K
D430	1 x 25,1 W max	IP 20; IK 04	Series Dorfin Redondo. 3000 K
D435	1 x 25,1 W max	IP 20; IK 04	Series Dorfin Redondo. 3000 K
D44M	1 x 25,1 W max	IP 20; IK 07	Series Dorfin Redondo. 4000 K
D440	1 x 25,1 W max	IP 20; IK 04	Series Dorfin Redondo. 4000 K
D445	1 x 25,1 W max	IP 20; IK 07	Series Dorfin Redondo. 4000 K
EDI23	1 x 11,8 W max	IP 20	Series Elit HR. 3000 K
EDI24	1 x 11,8 W max	IP 20	Series Elit HR. 4000 K
EDI33	1 x 17,4 W max	IP 20	Series Elit HR. 3000 K
EDI34	1 x 17,4 W max	IP 20	Series Elit HR. 4000 K
EDI43	1 x 25,1 W max	IP 20	Series Elit HR. 3000 K

AENOR INTERNACIONAL S.A.U.

Génova, 6. 28004 Madrid. Spain

Tel. +34 91 432 60 00.-

www.aenor.com

Product certification body accredited by ENAC, number 1/C-PR275

CERTIFICATE OF THE ENEC EUROPEAN MARK

Type reference	Nº of lamps and rated wattage	Degree of protection (IP)	Additional data
EDI44	1 x 25,1 W max	IP 20	Series Elit HR. 4000 K
EDI63	1 x 35,2 W max	IP 20	Series Elit HR. 3000 K
EDI64	1 x 35,2 W max	IP 20	Series Elit HR. 4000 K
EDI83	1 x 54,6 W max	IP 20	Series Elit HR. 3000 K
EDI84	1 x 54,6 W max	IP 20	Series Elit HR. 4000 K
EE33	1 x 17,4 W max	IP 20	Series Elit Max. 3000 K
EE34	1 x 17,4 W max	IP 20	Series Elit Max. 4000 K
EE43	1 x 25,1 W max	IP 20	Series Elit Max. 3000 K
EE44	1 x 25,1 W max	IP 20	Series Elit Max. 4000 K
EE63	1 x 35,2 W max	IP 20	Series Elit Max. 3000 K
EE64	1 x 35,2 W max	IP 20	Series Elit Max. 4000 K
EE83	1 x 54,6 W max	IP 20	Series Elit Max. 3000 K
EE84	1 x 54,6 W max	IP 20	Series Elit Max. 4000 K
ELI23	1 x 11,8 W max	IP 20	Series Elit HR. 3000 K
ELI24	1 x 11,8 W max	IP 20	Series Elit HR. 4000 K
ELI33	1 x 17,4 W max	IP 20	Series Elit HR. 3000 K
ELI34	1 x 17,4 W max	IP 20	Series Elit HR. 4000 K
ELI43	1 x 25,1 W max	IP 20	Series Elit HR. 3000 K
ELI44	1 x 25,1 W max	IP 20	Series Elit HR. 4000 K
ELI63	1 x 35,2 W max	IP 20	Series Elit HR. 3000 K
ELI64	1 x 35,2 W max	IP 20	Series Elit HR. 4000 K
ELI83	1 x 54,6 W max	IP 20	Series Elit HR. 3000 K
ELI84	1 x 54,6 W max	IP 20	Series Elit HR. 4000 K
EL23I	1 x 11,8 W max	IP 20 (luminaire), IP 65 (optics); IK 07	Series Elit 65. 3000 K
EL23	1 x 11,8 W max	IP 20	Series Elit. 3000 K
EL24I	1 x 11,8 W max	IP 20 (luminaire), IP 65 (optics); IK 07	Series Elit 65. 4000 K
EL24	1 x 11,8 W max	IP 20	Series Elit. 4000 K
EL33I	1 x 17,4 W max	IP 20 (luminaire), IP 65 (optics); IK 07	Series Elit 65. 3000 K
EL33	1 x 17,4 W max	IP 20	Series Elit. 3000 K
EL34I	1 x 17,4 W max	IP 20 (luminaire), IP 65 (optics); IK 07	Series Elit 65. 4000 K
EL34	1 x 17,4 W max	IP 20	Series Elit. 4000 K
EL43I	1 x 25,1 W max	IP 20 (luminaire), IP 65 (optics); IK 07	Series Elit 65. 3000 K
EL43	1 x 25,1 W max	IP 20	Series Elit. 3000 K

AENOR INTERNACIONAL S.A.U.

Génova, 6. 28004 Madrid. Spain

Tel. +34 91 432 60 00.-

www.aenor.com

Product certification body accredited by ENAC, number 1/C-PR275

CERTIFICATE OF THE ENEC EUROPEAN MARK

Type reference	Nº of lamps and rated wattage	Degree of protection (IP)	Additional data
EL44I	1 x 25,1 W max	IP 20 (luminaire), IP 65 (optics); IK 07	Series Elit 65. 4000 K
EL44	1 x 25,1 W max	IP 20	Series Elit. 4000 K
EL63I	1 x 35,2 W max	IP 20 (luminaire), IP 65 (optics); IK 07	Series Elit 65. 3000 K
EL63	1 x 35,2 W max	IP 20	Series Elit. 3000 K
EL64I	1 x 35,2 W max	IP 20 (luminaire), IP 65 (optics); IK 07	Series Elit 65. 4000 K
EL64	1 x 35,2 W max	IP 20	Series Elit. 4000 K
EL83I	1 x 54,6 W max	IP 20 (luminaire), IP 65 (optics); IK 07	Series Elit 65. 3000 K
EL83	1 x 54,6 W max	IP 20	Series Elit. 3000 K
EL84I	1 x 54,6 W max	IP 20 (luminaire), IP 65 (optics); IK 07	Series Elit 65. 4000 K
EL84	1 x 54,6 W max	IP 20	Series Elit. 4000 K
EM13I	1 x 14 W max	IP 20 (luminaire), IP 65 (optics); IK 07	Series Elit Mini. 3000 K
EM14I	1 x 14 W max	IP 20 (luminaire), IP 65 (optics); IK 07	Series Elit Mini. 4000 K
EP03I	1 x 6,4 W max	IP 20 (luminaire), IP 65 (optics); IK 07	Series Elit Micro. 3000 K
EP03	1 x 6,4 W max	IP 20	Series Elit Micro. 3000 K
EP04I	1 x 6,4 W max	IP 20 (luminaire), IP 65 (optics); IK 07	Series Elit Micro. 4000 K
EP04	1 x 6,4 W max	IP 20	Series Elit Micro. 4000 K
IQ03S	1 x 5,8 W max	IP 20 (luminaire), IP 54 (optics); IK 04	Series Ir Cuadrado. 3000 K
IQ03T	1 x 5,8 W max	IP 20 (luminaire), IP 54 (optics); IK 04	Series Ir Cuadrado. 3000 K
IQ04S	1 x 5,8 W max	IP 20 (luminaire), IP 54 (optics); IK 04	Series Ir Cuadrado. 4000 K
IQ04T	1 x 5,8 W max	IP 20 (luminaire), IP 54 (optics); IK 04	Series Ir Cuadrado. 4000 K
IR03S	1 x 5,8 W max	IP 20 (luminaire), IP 54 (optics); IK 04	Series Ir Redondo. 3000 K
IR03T	1 x 5,8 W max	IP 20 (luminaire), IP 54 (optics); IK 04	Series Ir Redondo. 3000 K
IR04S	1 x 5,8 W max	IP 20 (luminaire), IP 54 (optics); IK 04	Series Ir Redondo. 4000 K

AENOR INTERNACIONAL S.A.U.

Génova, 6. 28004 Madrid. Spain

Tel. +34 91 432 60 00.-

www.aenor.com

Product certification body accredited by ENAC, number 1/C-PR275

CERTIFICATE OF THE ENEC EUROPEAN MARK

Type reference	Nº of lamps and rated wattage	Degree of protection (IP)	Additional data
IR04T	1 x 5,8 W max	IP 20 (luminaire), IP 54 (optics); IK 04	Series Ir Redondo. 4000 K
TI03S	1 x 5,8 W max	IP 20	Series Tiny. 3000 K
TI04S	1 x 5,8 W max	IP 20	Series Tiny. 4000 K
WLMR13	1 x 14 W	IP 20	Sereis Nahika Mini 3000K
WLMR130	1 x 14 W	IP 20 (luminaire), IP 54 (optics); IK 07	Sereis Nahika Mini 3000K
WLMR13T	1 x 14 W	IP 20 (luminaire), IP 54 (optics); IK 07	Sereis Nahika Mini 3000K
WLMR14	1 x 14 W	IP 20	Sereis Nahika Mini 4000K
WLMR140	1 x 14 W	IP 20 (luminaire), IP 54 (optics); IK 07	Sereis Nahika Mini 4000K
WLMR14T	1 x 14 W	IP 20 (luminaire), IP 54 (optics); IK 07	Sereis Nahika Mini 4000K
WLPQB13	1 x 14 W	IP 20	Sereis Nahika Micro Cuadrado 3000K
WLPQB14	1 x 14 W	IP 20	Sereis Nahika Micro Cuadrado 4000K
WLPQF13F	1 x 14 W	IP 20	Sereis Nahika Micro Cuadrado 3000K
WLPQF13	1 x 14 W	IP 20	Sereis Nahika Micro Cuadrado 3000K
WLPQF14F	1 x 14 W	IP 20	Sereis Nahika Micro Cuadrado 4000K
WLPQF14	1 x 14 W	IP 20	Sereis Nahika Micro Cuadrado 4000K
WLPRB13	1 x 14 W	IP 20	Sereis Nahika Micro 3000K
WLPRB14	1 x 14 W	IP 20	Sereis Nahika Micro 4000K
WLPRF13F	1 x 14 W	IP 20	Sereis Nahika Micro 3000K
WLPRF13	1 x 14 W	IP 20	Sereis Nahika Micro 3000K
WLPRF14F	1 x 14 W	IP 20	Sereis Nahika Micro 4000K
WLPRF14	1 x 14 W	IP 20	Sereis Nahika Micro 4000K
WLQ33	1 x 17,4 W max	IP 20	Series Nahika Cuadrado. 3000 K
WLQ34	1 x 17,4 W max	IP 20	Series Nahika Cuadrado. 4000 K
WLQ43	1 x 25,1 W max	IP 20	Series Nahika Cuadrado. 3000 K

AENOR INTERNACIONAL S.A.U.

Génova, 6. 28004 Madrid. Spain

Tel. +34 91 432 60 00.-

www.aenor.com

Product certification body accredited by ENAC, number 1/C-PR275

CERTIFICATE OF THE ENEC EUROPEAN MARK

Type reference	Nº of lamps and rated wattage	Degree of protection (IP)	Additional data
WLQ44	1 x 25,1 W max	IP 20	Series Nahika Cuadrado. 4000 K
WLQ53	1 x 39,4 W max	IP 20	Series Nahika Cuadrado. 3000 K
WLQ54	1 x 39,4 W max	IP 20	Series Nahika Cuadrado. 4000 K
WLQ63	1 x 35,2 W max	IP 20	Series Nahika Cuadrado. 3000 K
WLQ64	1 x 35,2 W max	IP 20	Series Nahika Cuadrado. 4000 K
WLQ83	1 x 54,6 W max	IP 20	Series Nahika Cuadrado. 3000 K
WLQ84	1 x 54,6 W max	IP 20	Series Nahika Cuadrado. 4000 K
WLR33	1 x 17,4 W max	IP 20	Series Nahika Redondo. 3000 K
WLR34	1 x 17,4 W max	IP 20	Series Nahika Redondo. 4000 K
WLR43	1 x 25,1 W max	IP 20	Series Nahika Redondo. 3000 K
WLR44	1 x 25,1 W max	IP 20	Series Nahika Redondo. 4000 K
WLR53	1 x 39,4 W max	IP 20	Series Nahika Redondo. 3000 K
WLR54	1 x 39,4 W max	IP 20	Series Nahika Redondo. 4000 K
WLR63	1 x 35,2 W max	IP 20	Series Nahika Redondo. 3000 K
WLR64	1 x 35,2 W max	IP 20	Series Nahika Redondo. 4000 K
WLR83	1 x 54,6 W max	IP 20	Series Nahika Redondo. 3000 K
WLR84	1 x 54,6 W max	IP 20	Series Nahika Redondo. 4000 K